

Reports of Serious Injuries After COVID Vaccines Near 112,000, as Pfizer Asks FDA to Green Light Shots for Kids 5 to 11

VAERS data released Friday by the CDC included a total of 778,685 reports of adverse events from all age groups following COVID vaccines, including 16,310 deaths and 111,921 serious injuries between Dec. 14, 2020 and Oct. 1, 2021.

By [Megan Redshaw – Telegraph UK](#), 8. 10. 2021

Data released Friday by the Centers for Disease Control and Prevention (CDC) showed that **between Dec. 14, 2020 and Oct. 1, 2021, a total of 778,685 adverse events following COVID vaccines were reported to the Vaccine Adverse Event Reporting System (VAERS). The data included a total of 16,310 reports of deaths — an increase of 373 over the previous week.**

There were **111,921 reports of serious injuries**, including deaths, during the same time period — up 6,163 compared with the previous week.

Excluding “**foreign reports**” filed in VAERS, **593,728 adverse events**, including **7,437 deaths** and **47,455 serious injuries**, were reported in the U.S. between Dec. 14, 2020 and Oct. 1, 2021.

Of the 7,437 U.S. deaths reported as of Oct. 1, 11% occurred within 24 hours of vaccination, 16% occurred within 48 hours of vaccination and 29% occurred in people who experienced an onset of symptoms within 48 hours of being vaccinated.

In the U.S., 393.4 million COVID vaccine doses had been administered as of Oct. 1. This **includes**: 227 million doses of **Pfizer**, 152 million doses of **Moderna** and 15 million doses of **Johnson & Johnson** (J&J).



Search Results

From the 10/1/2021 release of VAERS data:

Found 778,685 cases where Vaccine is COVID19

Table

Event Outcome	Count	Percent
Death	16,310	2.09%
Permanent Disability	23,712	3.05%
Office Visit	127,384	16.36%
Emergency Room	57	0.01%
Emergency Doctor/Office	87,788	11.27%
Hospitalized	75,382	9.68%
Hospitalized, Prolonged	212	0.03%
Recovered	242,522	31.15%
Birth Defect	628	0.08%
Life Threatening	17,618	2.26%
Not Serious	336,652	43.23%
TOTAL	778,685	100.00%

† Because some cases have multiple vaccinations and symptoms, a single case can account for multiple entries in this table. This is the reason why the Total Count is greater than 778,685 (the number of cases found), and the Total Percentage is greater than 100.

The data come directly from reports submitted to VAERS, the primary government-funded system for reporting adverse vaccine reactions in the U.S.

Every Friday, [VAERS](#) makes public all vaccine injury reports received as of a specified date, usually about a week prior to the release date. Reports submitted to VAERS require further investigation before a causal relationship can be confirmed. Historically, VAERS has been shown to report only [1% of actual vaccine adverse events](#).

This week's U.S. data for 12- to 17-year-olds show:

- **21,298 total adverse events, including 1,284 rated as serious and 22 reported deaths. Two of the 22 deaths were suicides.**

The most recent death involves a 16-year-old male (VAERS I.D. [1734141](#)) who reportedly died from cardiac failure five days after receiving Pfizer's COVID vaccine.

Other recent deaths include a 17-year-old male (VAERS I.D. [1689212](#)) with cancer who was vaccinated April 17, tested positive for COVID on July 20, was hospitalized and passed away Aug. 29; and a 16-year-old female (VAERS I.D. [1694568](#)) who died from a pulmonary embolism nine days after receiving her first Pfizer dose.

- **3,202 reports of anaphylaxis among 12- to 17-year-olds with 99% of cases attributed to Pfizer's vaccine.**
- **520 reports of myocarditis and pericarditis (heart inflammation) with 508 cases attributed to Pfizer's vaccine.**
- **114 reports of blood clotting disorders, with all cases attributed to Pfizer.**

This week's U.S. VAERS data, from Dec. 14, 2020 to Oct. 1, 2021, for all age groups combined, show:

- 19% of deaths were related to cardiac disorders.
- 56% of those who died were male, 43% were female and the remaining death reports did not include gender of the deceased.
- The average age of death was 72.8.
- Of the 2,935 cases of Bell's Palsy reported, 50% were attributed to Pfizer vaccinations, 42% to Moderna and 8% to J&J.
- 648 reports of Guillain-Barré syndrome, with 40% of cases attributed to Pfizer, 32% to Moderna and 28% to J&J.
- 1,976 reports of anaphylaxis where the reaction was life-threatening, required treatment or resulted in death.
- 158,280 reports of symptoms of anaphylactic reactions with 43% of cases attributed to Pfizer's vaccine, 49% to Moderna and 7% to J&J. An anaphylactic reaction may include various symptoms like skin rashes, nausea, vomiting, difficulty breathing or shock.

- **9,907 reports** of blood clotting disorders. Of those, **4,286 reports** were attributed to Pfizer, **3,595 reports** to Moderna and **1,975 reports** to J&J.
- **2,737 cases** of myocarditis and pericarditis with **1,733 cases** attributed to Pfizer, **888 cases** to Moderna and **106 cases** to J&J's COVID vaccine.